




Data Table

		name	exercise	sleep	activity
	1	Ana	2	8	bathing
	2	Marko	4	7	bathing
	3	Petra	3	6	bathing
	4	Janez	5	6	bathing
	5	Maja	9	6	bathing
	6	Andrej	5	5	bathing
	7	Nika	2	5	bathing
	8	Luka	5	4	bathing
	9	Katarina	4	3	bathing
<	10	Miha	6	4	bathing
	11	Irena	9	3	bathing
	12	Jure	8	4	bathing
	13	Tjaša	11	3	bathing
	14	Boštjan	7	5	bathing
	15	Helena	4	9	swimming
	16	Matej	4	8	swimming
	17	Alenka	7	8	swimming
	18	Gregor	10	9	swimming
	19	Polona	9	8	swimming
	20	Sašo	10	7	swimming



• • •





exercise

Data Table

4

11

10

10

sleep

activity

8 bathing

7 bathing

6 bathing6 bathing6 bathing

5 bathing5 bathing

4 bathing3 bathing

4 bathing3 bathing4 bathing


3 bathing5 bathing9 swimming


8 swimming8 swimming


9 swimming8 swimming


7 swimming

exercise











sleep exercise


sleep $w_0 + w_1 \times \text{exercise} + w_2 \times \text{sleep} = 0$





exercise




distance do decision boundary












logistic regression








Data Table (1)							
		name	swimming				
	1	intercept	-15.6318				
<	2	exercise	0.800022				
	3	sleep	1.63898				
L							
② ☐ ☐ 3 ☐ 3 3 3 3 3 3 3 3 3 3							


Data	Tab	le	(2)
------	-----	----	-----


• • •


	activity	name	exercise	sleep
11	bathing	Irena	9	3
12	bathing	Jure	8	4
13	bathing	Tjaša	11	3
14	bathing	Boštjan	7	5
15	swimming	Helena	4	9
16	swimming	Matej	4	8
17	swimming	Alenka	7	8
18	swimming	Gregor	10	9
19	swimming	Polona	9	8
20	ewimmina	9260	10	7

4	-15.6
exercise	$\frac{0.80}{\sigma(\mathbf{S})}$
sleep	1.64











6 + 3 = 9 weights (model parameters)



neural network




6 + 3 = 9 weights (model parameters)




The state of the s								
			170	238	85	255	221	0
			68	136	17	170	119	68
			221	0	238	136	0	255
			119	255	85	170	136	238
	28		238	17	221	68	119	255
			85	170	119	221	-17	136

output (e.g., image classification)



input (numbers, e.g. pixels from images)























AlexNet (Alex Krizhevsky, Ilya Sutskever, and Geoffrey Hinton) 60 million parameters











embedding into a vector space








dominikovadomačija.JPG


knežak.jpeg

pogačarjevadomačija.jpeg







words - n-grams - neural network - classification




words - n-grams - neural network - classification




banana – ba, an, na, an, na





encoding of input string

prediction of next token




She added a banana to her ...

THE THE PROPERTY AND THE PROPERTY OF THE PROPE



encoding of input string

prediction of next token




She added a banana to her mo...

of the state of th



encoding of input string

prediction of next token



She added a banana to her morn...

id in the state of the state of




prediction of next token encoding of input string ab ab ac ٥،۷ an am Oler ba be bc bc NQ hb bcl hc

She added a banana to her mornin...

British Hallow was to also propries it will be sure to be a second of the second







She added a banana to her morning smoothie.

Generative Al and LLM

- Context
- Encoding of context (sequence of tokens)
- (Iterative) output prediction (sequence of tokens)





Our swimming model had 3 parameters!


GPT-3.5 has 175 billion parameters!

GPT-4 has 1.76 trillion parameters!

That's 1,760,000,000,000!

ChatGPT

- A chat bot that uses trained LLM for text generation
- Not an Al!
- It's web-based interface is useful but rather very limited, the more interesting things to come are underneath



just numbers let us see if they are useful